| Quality System Procedure  Missouri State Public Health Laboratory  Chemistry Unit | Issue Date: 07-06-06 | Rev.:<br><i>0</i>     |
|---|----------------------|-----------------------|
| Human Biomonitoring Blood Shipping Manifest                                       |                      | Page #: <b>1 of 2</b> |

## **Human Biomonitoring Blood Shipping Manifest**

| PAGE OF   |                          |  |  |  |  |
|---|--------------------------|--|--|--|--|
| CENTERS FOR DISEASE CONTROL AND PREVENTION CHEMICAL TERRORISM SPECIMEN COLLECTION |                          |  |  |  |  |
|   | NG MANIFEST              |  |  |  |  |
| DATE SHIPPED:   |                          |  |  |  |  |
| SHIPPED BY:   |                          |  |  |  |  |
| CONTACT TELEPHONE:  |                          |  |  |  |  |
| SIGNATURE:  |                          |  |  |  |  |
| DATE RECEIVED:  |                          |  |  |  |  |
| RECEIVED BY:  |                          |  |  |  |  |
| SIGNATURE:  |                          |  |  |  |  |
| TOTAL NUMBER OF SPECIMENS IN THIS CONTAINER:                                      | PURPLE-TOP TUBES:        |  |  |  |  |
|   | GREEN/GRAY-TOP<br>TUBES: |  |  |  |  |
| TOTAL NUMBER OF BLANK TUBES PROVIDED IN THIS CONTAINER:                           | PURPLE-TOP TUBES:        |  |  |  |  |
|   | GREEN/GRAY-TOP<br>TUBES: |  |  |  |  |
| COMMENTS:   |                          |  |  |  |  |
|   |                          |  |  |  |  |
|   |                          |  |  |  |  |
|   |                          |  |  |  |  |

## Quality System Procedure Issue Date: Rev.: Missouri State Public Health Laboratory<br/>Chemistry Unit 07-06-06 0 Human Biomonitoring Blood Shipping Manifest Page #: 2 of 2

| PAGE O                             | F      |        | _      |          |  |
|------------------------------------|--------|--------|--------|----------|--|
|                                    |        | L TERF | RORISN |          | L AND PREVENTION<br>MEN COLLECTION<br>NIFEST |
| PLACE A √ IN EAC<br>FOR SAMPLES NO |        |        | SAMPI  | LES SHIP | PPED – PLACE A X IN EACH BOX                 |
| PLEASE INDICATE COMMENTS           | Е ТНЕ  | E SIZE | E TUB  | E COLL   | LECTED (5 OR 7 mL) IN THE                    |
| PT = PURPLE-TOP                    | GT = 0 | GREEN  | J/GRAY | Y-TOP    |  |
|                                    | PT 1   |        | PT 3   | GT       | Comments:                                    |
|                                    |        |        |        |          |  |
|                                    |        |        |        |          |  |
|                                    |        |        |        |          |  |
|                                    |        |        |        |          |  |
|                                    |        |        |        |          |  |
|                                    |        |        |        |          |  |
|                                    |        |        |        |          |  |
|                                    |        |        |        |          |  |
|                                    |        |        |        |          |  |
|                                    |        |        |        |          |  |
|                                    |        |        |        |          |  |
|                                    |        |        |        |          |  |
|                                    |        |        |        |          |  |
|                                    |        |        |        |          |  |
|                                    |        |        |        |          |  |
|                                    |        |        |        |          |  |
|                                    |        |        |        |          |  |
|                                    |        |        |        |          |  |
|                                    |        |        |        |          |  |
|                                    |        |        |        |          |  |
|                                    |        |        |        |          |  |
|                                    |        |        |        |          |  |
|                                    |        |        |        |          |  |

NOTE: Please include 2 empty purple-top tubes and 2 empty green/gray-top tubes from each lot number collected for background contamination measurement.